




PRODUCT CATALOGUE

Door Hardware Catalogue

Discover Quality · Explore Style · Secure Places

07



Panic Device



Panic exit hardware for emergency escape doors.

IN THIS SECTION

Panic exit device	47
Escutcheon lever trim	48

PANIC DEVICE



Panic Exit Device

Non-handed panic exit devices for emergency escape doors, fire rated for timber and metal doors.

DOOR WIDTH	650 – 1320 mm
DOOR HEIGHT	Up to 2133 mm
MAX. DOOR WEIGHT	200 kg
MAX. DOOR THICKNESS	50 mm
DESIGN	Non-handed

FEATURES

- Available in SS Grade 304 and painted steel
- UL 10C fire rated for use on timber and metal doors
- Touch bar length of device: 500 mm
- Security anti-thrust latch
- Finish: SSS, PSS, AB, MB


 ART. NO. **IP-PL132**
Rim latch device

 ART. NO. **IP-PV132**
Vertical rod device


PANIC DEVICE

ART. NO. IP-OT210

Escutcheon Lever Trim

Lever trim for panic exit devices, with the same finish and fire-rated certification.



MATERIAL Stainless steel 304



FINISH ☐ SSS ☐ PSS ☐ SB ☐ PB ☐ AB ☐ MB

DOOR THICKNESS 45 – 50 mm

CERTIFIED EN 1634 fire rated

DOUBLE DOOR CONFIGURATIONS

Double Door Configurations





Discover Quality · Explore Style · Secure Places

www.infinitydoorhardware.com